

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

SECTION 1: DESIGNATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY

1.1 Product identifier

Trade name: **S-Bond®**
Item number: SB200-1
Recipe number: n. a.
Registration number: n. a.

1.2 Relevant identified use of the substance or mixture and Uses advised against.

Application: Solder alloy for joining materials in soldering processes.

1.3 Details of the supplier providing the safety data sheet

1.3.1 Responsible for the safety data sheet

EUROMAT GmbH
Hermann-Hollerith-Str. 6 – 52499 Baesweiler, GERMANY
Phone: +49.(0)2401.60.72.866 Fax: +49.(0)2401.60.72.855
E-Mail: input@euromat.de Web: www.euromat.de

1.4 Emergency number

SUPPLIER: **EUROMAT GmbH**
Phone: +49.(0)2401.60.72.866 Accessibility: Mo. – Fr.: 09:00 - 17:00 Uhr
COUNSELING CENTER: n. a.
Phone: Accessibility:

SECTION 2: POSSIBLE DANGERS

2.1 Classification of the substance or mixture

none
Exemption according to Annex I Number 1.3.4.1 EC 1272/2008

2.2 Labeling elements

Required to be labeled according to Regulation (EC) 1272/2008: NO
Are exceptions applicable: YES
Signal word: n. a.
Components: Sn, Zn, Sb

Hazard Pictogram(s): n. a.

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail:

input@euromat.de

2.2 Labeling elements (continued)

H-phrases:

n. a.

P-phrases:

n. a.

Special markings: none

2.3 Other hazards

- ☉ May cause skin irritation - in case of precious metal allergy
- ☉ May irritate the mucous membranes of the stomach if swallowed
- ☉ This mixture does not contain any substances assessed as PBT or vPvB

SECTION 3: COMPOSITION / INFORMATION ON THE COMPONENTS

3.1 Fabrics

n. a.

3.2 MIXTURES CHEMICAL CHARACTERIZATION

Mixture alloy

Ingredients:

Designation: **Tin - Sn**

CAS no: 7440-31-5	EC no: 231-141-8	REACH-Nr.: n. v.	H-Phrases	m% - range 90-98
----------------------	---------------------	---------------------	-----------	---------------------

Designation: **Zinc - Zn**

CAS no: 7440-66-6	EC no: 231-175-3	REACH-Nr.: n. v.	H-Phrases	m% - range 2 – 5
----------------------	---------------------	---------------------	-----------	---------------------

Designation: **Antimon - Sb**

CAS no: 7440-36-0	EC no: 231-146-5	REACH-Nr.: n. v.	H-Phrases	m% - range 1 – 5
----------------------	---------------------	---------------------	-----------	---------------------

Designation: **Traces of active foreign substances**

CAS no: n. a.	EC no: n. a.	REACH-Nr.: n. a.	H-Phrases	m% - range ≤ 0,5
------------------	-----------------	---------------------	-----------	---------------------

Designation: **Traces of inactive foreign substances**

CAS no: n. a.	EC no: n. a.	REACH-Nr.: n. a.	H-Phrases	m% - range ≤ 0,5
------------------	-----------------	---------------------	-----------	---------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of the first aid measures

4.1.1 After inhalation:

- ☉ n. a. for solid
- ☉ molten solder does not produce harmful fumes, if nausea occurs, move to fresh air

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

4.1.2	After skin contact
	<ul style="list-style-type: none">☹ n. a. for solid☹ melted solder can cause burns, cool combustion☹ Consult a doctor if symptoms persist
4.1.3	After eye contact
	<ul style="list-style-type: none">☹ n. a. für solid☹ melted solder causes burns☹ if solder splashes into the eyes, rinse immediately and seek medical attention
4.1.4	After ingestion
	<ul style="list-style-type: none">☹ for solid: consult a doctor if nausea persists☹ melted solder causes burns, rinse out the oral cavity and consult a doctor
4.2	Important acute and delayed symptoms and effects
	☹ none
4.3	Indications for immediate medical help or special treatment
	<ul style="list-style-type: none">☹ none☹ symptomatic treatment
SECTION 5: FIREFIGHTING MEASURES	
5.1	Extinguishing agent
5.1.1	Suitable extinguishing agents
	☹ Dry chemical extinguishing agent, D extinguishing powder, sand, dry ice
5.1.2	Extinguishing agents unsuitable for safety reasons
	☹ Water, can lead to steam explosion.
5.2	Special hazards arising from the substance or mixture
	☹ from boiling point, smoke from metal oxides
5.3	Advice for fire fighting
5.3.1	Special protective equipment
	☹ Put on self-contained breathing apparatus with full face mask
5.3.2	Additional notes
	☹ none
SECTION 6: ACTION TO BE TAKEN IN THE EVENT OF UNAUTHORIZED RELEASE	
6.1	Personal precautions, protective equipment and emergency procedures. procedures to be followed in case of emergency.
	<ul style="list-style-type: none">☹ n. a. for solid☹ molten solder, see chapter 8.2.2
6.2	Environmental protection measures
	☹ No special measures required

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

6.3		Methods and material for retention	
		☹ n. a.	
6.4		References to other sections	
		☹ none	
SECTION 7:		HANDLING AND STORAGE	
7.1		Protective measures for safe handling	
7.1.1		Note on safe handling	
		☹ Wash hands before breaks and at the end of work. ☹ Do not eat, drink or smoke during use (soldering).	
7.1.2		Notes on fire and explosion protection	
		☹ Not at risk of fire or explosion, observe usual preventive fire protection measures.	
7.2		Conditions for safe storage taking into account Incompatibilities	
7.2.1		Requirements for storage rooms and containers	
		☹ store dry	
7.2.2		Methods of storage together	
		☹ avoid contact with strong acids or bases.	
7.2.3		Further information on storage conditions	
		☹ n. a.	
7.3		Specific end use	
		☹ n. a.	
SECTION 8:		EXPOSURE CONTROLS / PERSONAL PROTECTIVE EQUIPMENT	
8.1		Parameters to be monitored	
		Substance name	Monitoring value
		Mixture - tin, silver, titanium	☹ n. a.
8.2		Exposure controls and monitoring	
8.2.1		Suitable technical control equipment	
		☹ Ensure good ventilation and fume hood during processing.	
8.2.2		Individual security measures	
8.2.2a		Respiratory protection	
		☹ Not required for solids ☹ not required during processing	

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

8.2.2b Hand protection	
	<ul style="list-style-type: none">⊕ Not required for solids⊕ a protective glove in accordance with EN 388 and EN 407 must be worn during processing. The selection of a suitable glove depends not only on the material, but also on the quality and varies from manufacturer to manufacturer. Please observe the specifications of the glove supplier with regard to permeability and breakthrough time. Also consider the specific local conditions under which the product will be used, such as cut the product is used, such as cut hazard, abrasion and contact duration.
8.2.2c Eye protection	
	<ul style="list-style-type: none">⊕ Not required for solids⊕ there is a possible risk of splash contact during processing: Wear protective goggles
8.2.2d Body protection	
	<ul style="list-style-type: none">⊕ Wear long-sleeved work clothes
8.2.2e Other	
	<ul style="list-style-type: none">⊕ no remarks
8.2.3 Environmental exposure controls and monitoring	
	<ul style="list-style-type: none">⊕ n. v.

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on the basic physical and chemical properties

a) Appearance

Shape: Solid in various forms

Color: Silver gray glossy

b) Odor

Material is odorless

c) Odor threshold

n. a.

d) pH value

n. v.

e) Melting point

199 °C bis 230 °C

f) Boiling point

> 1.800 °C

g) Flash point

n. v.

h) Evaporation rate

n. v.

i) Flammability

Fine-grained powder tends to self-ignition in air

j) upper / lower flammability or explosion limit

the material is not explosive.
Note the possibility of formation of an explosive air-dust mixture.

k) Vapor pressure

n. v.

l) Vapor density

n. v.

m) Relative density

7,2 g pro cm³

n) Solubilities

Not soluble

o) Partition coefficient: n-octanol / water

n. v.

p) Auto-ignition temperature

n. a.

q) Decomposition temperature

n. v.

r) Viscosity

n. v.

s) explosive properties

n. v.

t) oxidizing characteristics

thin oxide skin, no hazard

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

9.2	Other information
	☹ n. a.
SECTION 10:	STABILITY AND REACTIVITY
10.1	Reactivity
	☹ none
10.2	Chemical stability
	☹ stable under normal condition
10.3	Possible dangerous reactions
	☹ reacts with strongly oxidative agents
10.4	Conditions to avoid
	☹ n. a.
10.5	Incompatible materials
	☹ reacts with strong acids and base
10.6	Hazardous decomposition products
	☹ No decomposition when stored and used as directed. ☹ No thermal decomposition

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

SECTION 11: TOXICOLOGICAL DATA

11.1 Information on toxicological effect

a) acute toxicity:

⊗ n. v.

b) Corrosive/irritant effect on skin:

⊗ n. v.

c) severe eye damage/irritation:

⊗ n. v.

d) Respiratory / Skin Sensitization:

⊗ n. v.

e) Germ cell mutagenicity:

⊗ n. v.

f) Carcinogenicity:

⊗ n. v.

g) Reproductive toxicity:

⊗ n. v.

h) Specific target organ toxicity at single exposure:

⊗ n. v.

i) Specific target organ toxicity in case of repeated exposure:

⊗ n. v.

j) Aspiration hazard:

⊗ n. v.

11.1.1 Practical experience

- 11.1.4 ⊗ Derogation for the mixture see 2.1
11.1.11 ⊗ n. v.
11.1.12 ⊗ There are no observations relevant to classification.

SECTION 12: ENVIRONMENTAL DISCLOSURES

12.1 Toxicity

⊗ Quantitative data on the ecological effect of this mixture are not available.

12.2 Persistence and degradability

⊗ No data available for the product.

12.3 Bioaccumulative potential

⊗ n. v.

12.4 Mobility in soil

⊗ n. v.

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

12.5 Results of PBT and vPvB assessment			
	☺ This mixture does not contain any substances assessed as PBT or vPvB.		
12.6 Other adverse effects			
	☺ none		
SECTION 13:		NOTES ON DISPOSAL	
13.1 Waste treatment process			
	Recommendation:	☺ R 4 Recycling / recovery of metals and metal compounds	
	Waste code - No.:	☺ 17.04.07 - mixed metals	
	In addition, local and official regulations must be observed.		
13.2 For uncleaned packaging			
	Recommendation:	☺ n. a.	
	Safe handling:	☺ n. a.	
SECTION 14:		TRANSPORT INFORMATION	
14.1 UN-Nummer			
	ADR	IMDG	IATA
	☺ No dangerous goods classification according to the valid directives.		
14.2 UN proper shipping name			
	ADR	IMDG	IATA
	☺ No dangerous goods classification according to the valid directives.		
14.3 Transport hazard class			
	ADR	IMDG	IATA
	☺ No dangerous goods classification according to the valid directives.		

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

14.4	Packing group
	ADR IMDG IATA
	☹ No dangerous goods classification according to the valid directives.
14.5	Environmental hazards
	ADR IMDG IATA
	☹ No dangerous goods classification according to the valid directives.
14.6	Special precautions for the user
	ADR IMDG IATA
	☹ No dangerous goods classification according to the valid directives.
14.7	Bulk transport according to Annex II of the MARPOL 73 / 78 Convention and according to the IBC Code
	ADR IMDG IATA
	☹ No dangerous goods classification according to the valid directives.
SECTION 15:	LEGAL
15.1	Safety, health and environmental regulations / specific legislation for the substance or mixture
	☹ n. v.
15.1.1	Observe employment restrictions according to MuSchG / JArbSchG
	☹ no
15.1.2	Observe storage obligation according to §8 (6) GefStoffV
	☹ neo
15.1.3	Observe the Major Accidents Ordinance
	☹ no
15.1.4	Technical Instruction Air
	☹ n. a.
15.1.5	Water hazard class
	☹ WGK 1: slightly hazardous to water ☹ Solid practically insoluble in water
15.1.6	Observe the regulatory scope of TRGS 900
	☹ no

SAFETY DATA SHEET

according to EU Regulation 2015/830 - Status: 28.05.2015

DOKUMENT: Q-M-QC_SDB-0001

Date of issue: 08.03.2018 Version: 08.03.2018

"*" Changes compared to previous version, n. a. = not valid, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH

Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Telefon: +49.(0)2401.60.72.866

Telefax: +49.(0)2401.60.72.866

E-Mail: input@euromat.de

15.1.7 Other regulations to be observed

☹ none

SECTION 16: OTHER DISCLOSURES

16.1 Notes on changes

☹ This safety data sheet is a new creation and replaces the previous document with release date Jan. 2006

16.2 Exposure parameters outside Germany

Länderkennung	Norm	Limit value
B, F, I, P	VME (TWA)	Sn – 2,0 mg/m ³ Zn – 0,1 mg/m ³ Sb – n. a.
N, USA	TLV	Sn – 2,0 mg/m ³ Zn – 0,1 mg/m ³ Sb – n. a.

16.3 Other

- ☹ This SDS has been prepared in accordance with EU Regulation.
- ☹ The information may not be changed or transferred to other products.
- ☹ Reproduction is permitted **only** in unaltered condition.
- ☹ The information provided is based on our current knowledge.
- ☹ This SDS has been compiled and is intended solely for this product.



EUROMAT GMBH does not guarantee the correctness of the above values. Values were determined in the laboratory and may vary depending on the batch. We recommend that you check the values yourself after receipt of the goods.