

according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

	Phone: +49.(0)2401.60.72.866	Fax: +49.	(0)2401.60.72.866	E-Mail:	input@euromat.de
	DESIGNATIO	N OF THE SUBS	TANCE OR	MIXTUR	E AND OF THE
SECTION 1:			MPANY		
1.1	Product identifier				
	Trade name:	S-Bond®			
	Item number:	SB220-1/50			
	Recipe number:	n. a.			
	Registration number:	n. a.			
	Relevant identified		stance or mix	vture and	
1.2	Uses advised again		tunce or mil	xcure une	
	Use:	brazing alloy fo	or joining materia	ls in brazing	processes
1.3	Details of the supp	lier providing th	ne safety dat	a sheet	
1.3.1	Responsible for the	safety data sh	eet		
	EUROMAT GmbH				
	Hermann-Hollerith-Str. 6 -	52499 Baesweiler, G	ERMANY		
	Phone: +	49.(0)2401.60.72.866	5	Fax:	+49.(0)2401.60.72.855
	E-Mail:	input@euromat.de		Web:	www.euromat.de
1.4	Emergency number	·			
	SUPPLIER:	EUROMAT GmbH			
	Phone:	+49.(0)2401.60.7	'2.866 Acces	sibility: M	o. – Fr.: 09:00 - 17:00 Uhr
	COUNSELING CENTER:	n. a.			
	Phone:		Acces	sibility:	
SECTION 2:		DOSSID	LE DANGER		
SECTION 2:		P03316	LE DANGER	3	
2.1	Classification of the	e substance or i	mixture		
	none Exemption according to	Annex I Number 1	.3.4.1 EC 1272/	/2008	
2.2	Labeling elements				
	Required to be labeled 1272/2008:	according to Regula	ation (EC)	NO	
	Are exceptions applicab	le·		YES	
	Signal word:				
	Signal Word.			n. a.	
	Components:				T: 0 0
	·			Sn, A	g, Ti, Ce, Ga
	Hanand Birth (C)				
	Hazard Pictogram(s):			n. a.	



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

**SUPPLIER: EUROMAT GmbH** Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

	Phone: +49.(0)2401.6	0.72.866 Fax:	+49.(0)2401.60.72	.866 E-Mail:	input@euromat.de	
2.2	Kennzeichnu	ngselemente (F	ortsetzung)			
	H-phrases:	H-phrases:				
	n. a.					
	P-Phrases:	P-Phrases:				
	n. a.					
	Sp	ecial markings: n	one			
2.3	Other hazard	Other hazards				
	May irritate the	May irritate the mucous membranes of the stomach if swallowed				
SECTION 3:	COM	POSITION / I	NFORMATION	ON THE COMP	ONENTS	
3.1	Fabrics					
	n. a.					
3.2	MIXTURES					
	CHEMICAL CHA	ARACTERIZATIO	N			
	Mixture alloy					
	Ingredients:					
	Designation:	Tin - Sn				
	CAS no:	EC no:	REACH-Nr.:	H-Phrases	m% - range	
	7440-31-5	231-141-8	n. v.		max. 94,0	
	Designation:	Silver - Ag				
	CAS no:	EC no:	REACH-Nr.:	H-Phrases	m% - range	
	7440-22-4	231-131-3	n. v.		max. 4,0	
	Designation:	Titanium - Ti			<u>,                                      </u>	
	CAS no:	EC no:	REACH-Nr.:	H-Phrases	m% - range	
	7440-32-6	231-142-3	n. v.		max. 2,3	
	Designation:	Traces of acti	ve foreign substan	ces	<b>,</b>	
	CAS no:	EC no:	REACH-Nr.:	H-Phrases	m% - range	
	n. a.	n. a.	n. a.		≤ 0,3	
	Designation:	Cer - Ce				
	CAS no:	EC no:	REACH-Nr.:	H-Phrases	m% - range	
	7440-45-1	231-154-9	n. v.		≤ 0,1	
	Designation:	Gallium - Ga			<u> </u>	
	CAS no:	EC no:	REACH-Nr.:	H-Phrases	m% - range	
	7440-55-3	231-163-8	n. v.		≤ 0,1	
SECTION 4:		FIRST AID MEASURES				
4.1	<b>Description o</b>	f the first aid r	neasures			
4.1.1	After inhalati	on:				
	<ul><li>n. a. for solid</li><li>molten solder</li></ul>	does not produce ha	rmful fumes, if nause	a occurs, move to fr	resh air	



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

**SUPPLIER: EUROMAT GmbH** Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

4.1.2	After skin contact
	<ul> <li>n. a. for solid</li> <li>melted solder can cause burns, cool burns</li> <li>Consult a doctor if symptoms persist</li> </ul>
4.1.3	After eye contact
	<ul> <li>n. a. für solid</li> <li>melted solder causes burns</li> <li>if solder splashes into the eyes, rinse immediately and seek medical attention</li> </ul>
4.1.4	After ingestion
	<ul> <li>for solid: consult a doctor if nausea persists</li> <li>melted solder causes burns, rinse out the oral cavity and consult a doctor</li> </ul>
4.2	Important acute and delayed symptoms and effects
	③ <u>none</u>
4.3	Indications for immediate medical help or special treatment
	<ul><li>none</li><li>symptomatic treatment</li></ul>
SECTION 5:	FIREFIGHTING MEASURES
5.1	Extinguishing agent
5.1.1	Suitable extinguishing agents
	Dry chemical extinguishing agent, D extinguishing powder, sand, dry ice
5.1.2	Extinguishing agents unsuitable for safety reasons
	Water, can lead to steam explosion.
5.2	Special hazards arising from the substance or mixture
	from boiling point, smoke from metal oxides
5.3	Advice for fire fighting
5.3.1	Special protective equipment
	One on self-contained breathing apparatus with full face mask
5.3.2	Additional notes
	⊗ <u>none</u>
SECTION 6:	ACTION TO BE TAKEN IN THE EVENT OF UNAUTHORIZED RELEASE
6.1	Personal precautions, protective equipment and emergency procedures.  procedures to be followed in case of emergency.
	<ul><li>n. a. for solid</li><li>molten solder, see chapter 8.2.2</li></ul>
6.2	Environmental protection measures
	No special measures required



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

**SUPPLIER: EUROMAT GmbH** Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Pho	ne: +49.(0)2401.60.72.866 Fax: +49.(0)2401.60.72.866 E-Mail: input@euromat.de
6.3	Methods and material for retention
	⊗ n. a.
6.4	References to other sections
	⊗ <u>none</u>
SECTION 7:	HANDLING AND STORAGE
7.1	Protective measures for safe handling
7.1.1	Note on safe handling
	<ul> <li>Wash hands before breaks and at the end of work.</li> <li>Do not eat, drink or smoke during use (soldering).</li> </ul>
7.1.2	Notes on fire and explosion protection
	Not at risk of fire or explosion, observe usual preventive fire protection measures.
7.2	Conditions for safe storage taking into account Incompatibilities
7.2.1	Requirements for storage rooms and containers
	⊗ store dry
7.2.2	Methods of storage together
	avoid contact with strong acids or bases.
7.2.3	Further information on storage conditions
	⊗ n. a.
7.3	Specific end use
	◎ n.a.
SECTION 8:	EXPOSURE CONTROLS / PERSONAL PROTECTIVE EQUIPMENT
8.1	Parameters to be monitored
	Substance name Monitoring value
	Mixture − tin, silver, titanium, cer, gallium ⊗ n. a.
8.2	Exposure controls and monitoring
8.2.1	Suitable technical control equipment
	Ensure good ventilation and fume hood during processing.
8.2.2	Individual security measures
8.2.2a	Respiratory protection
	<ul> <li>Not required for solids</li> <li>not required during processing</li> </ul>



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

	one: +49.(0)2401.60.72.866 Fax: +49.(0)2401.60.72.866 E-Mail: input@euromat.de	
8.2.2b	Hand protection	
	<ul> <li>Not required for solids</li> <li>a protective glove in accordance with EN 388 and EN 407 must be worn during processing. The selection of a suitable glove depends not only on the material, but also on the quality and varies from manufacturer to manufacturer. Please observe the specifications of the glove supplier with regard to permeability and breakthrough time. Also consider the specific local conditions under what the product will be used, such as cut the product is used, such as cut hazard, abrasion and contact duration.</li> </ul>	
8.2.2c	Eye protection	
	<ul> <li>Not required for solids</li> <li>there is a possible risk of splash contact during processing: Wear protective goggles</li> </ul>	
8.2.2d	Body protection	
	Wear long-sleeved work clothes	
8.2.2e	Other	
	no remarks	
8.2.3	Environmental exposure controls and monitoring	



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

PIIOI						
SECTION 9:		PHYSICAL A	ND CHE	MICA	AL PROPERTIES	
9.1	Information on the basic					
9.1	physical and chemical properties					
	a)	Appearance				
		Shape: Solid in var	ous forms			
		Color: Silver gray	glossy			
	b)	Odor		c)	Odor threshold	
		Material is odorless			n. a.	
	d)	pH value				
		n. v.				
	e)	Melting point		f)	Boiling point	
		220 °C bis 240 °C			> 1.800 °C	
	g)	Flash point				
		n. v.				
	h)	Evaporation rate				
		n. v.				
	i)	Flammability				
		Fine-grained powder tends to se	f-ignition in	air		
	j)	upper / lower flammability o	r explosior	n limit		
		the material is not explosive. Note the possibility of formation of	an explosiv	e air-d	ust mixture.	
	k)	Vapor pressure	,	l)	Vapor density	
		n. v.			n. v.	
	m)	Relative density				
		7,3 g per cm³				
	n)	Solubilities				
		Not soluble				
	0)	Partition coefficient: n-octan	ol / water			
		n. v.				
	p)	Auto-ignition temperature		q)	<b>Decomposition tem</b>	perature
		n. a.			n. v.	
	r)	Viscosity				
		n. v.				
	s)	explosive properties				
		n. v.				
	t)	oxidizing characteristics				
		thin oxide skin, no hazard				



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

9.2	Other information
	⊚ n. a.
SECTION 10:	STABILITY AND REACTIVITY
10.1	Reactivity
	◎ <u>none</u>
10.2	Chemical stability
	stable under normal condition
10.3	Possible dangerous reactions
	⊗ reacts with strongly oxidative agents
10.4	Conditions to avoid
	◎ n.a.
10.5	Incompatible materials
	◎ reacts with strong acids and base
10.6	Hazardous decomposition products
	<ul> <li>No decomposition when stored and used as directed.</li> <li>No thermal decomposition</li> </ul>



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

	Phone: +49.(0)2401.60.72.866 Fax: +49.(0)2401.60.72.866 E-Mail: input@euromat.de
SECTION 11:	TOXICOLOGICAL DATA
11.1	Information on toxicological effect
	a) acute toxicity:
	③ n. v.
	b) Corrosive/irritant effect on skin:
	⊚ n. v.
	c) severe eye damage/irritation:
	⊗ n. v.
	d) Respiratory / Skin Sensitization:
	⊗ n. v.
	e) Germ cell mutagenicity:
	③ n. v.
	f) Carcinogenicity:
	⊚ n. v.
	g) Reproductive toxicity:
	③ n. v.
	h) Specific target organ toxicity at single exposure:  © n. v.
	i) Specific target organ toxicity in case of repeated exposure:
	Specific target organ toxicity in case of repeated exposure:
	j) Aspiration hazard:
	⊚ n. v.
11.1.1	Practical experience
	11.1.4
	11.1.11 ⊗ n. v.
	11.1.12
SECTION 12:	ENVIRONMENTAL DISCLOSURES
12.1	Toxicity
	Quantitative data on the ecological effect of this mixture are not available.
12.2	Persistence and degradability
	No data available for the product.
12.3	Bioaccumulative potential
	® n. v.
12.4	Mobility in soil
	⊚ n. v.



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Phor	e: +49.(0)2401.60.72.866 Fax: +49.	.(0)2401.60.72.866	E-Mail:	input@euromat.de	
12.5	Results of PBT and vPvB assessment				
	This mixture does not contain any substances assessed as PBT or vPvB.				
12.6	Other adverse effects				
	© <u>none</u>				
SECTION 13:	NOTES	ON DISPOSAL			
13.1	Waste treatment process				
	Recommendation:	ry of metals and me	tal compounds		
	Waste code - No.: © 17.04.07 - mixed n	netals			
	In addition, local and official regulations must b	oe observed.			
13.2	For uncleaned packaging				
	Recommendation: ③ n. a.				
	Safe handling:    n. a.				
SECTION 14:	TRANSPOR	T INFORMAT	ION		
14.1	UN-Nummer				
2412	ADR	IMDG		IATA	
	No dangerous goods classification accord	ding to the valid dire	ectives.		
14.2	UN proper shipping name				
	ADR	IMDG		IATA	
	No dangerous goods classification accord	ding to the valid dire	ectives.		
14.3	Transport hazard class				
	ADR	IMDG		IATA	
	No dangerous goods classification accord	ding to the valid dire	ectives.		



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

**SUPPLIER: EUROMAT GmbH** Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Ph	none: +49.(0)2401.60.72.866	Fax:	+49.(0)2401.60.72.866	E-Mail:	input@euromat.de
14.4	Packing group				
	ADR		IMDG		IATA
	No dangerous goods c	lassificatio	n according to the valid dir	ectives.	
14.5	Environmental hazard	ls			
	ADR		IMDG		IATA
	No dangerous goods c	lassificatio	n according to the valid dir	ectives.	
14.6	Special precautions for	or the u	ser		
	ADR		IMDG		IATA
	No dangerous goods c	lassificatio	n according to the valid dir	ectives.	
14.7	Bulk transport accord MARPOL 73 / 78 Conv			e IBC Cod	de
	ADR		IMDG		IATA
	No dangerous goods c	lassificatio	n according to the valid dir	ectives.	
SECTION 15:			LEGAL		
15.1	Safety, health and en specific legislation fo				
	⊗ n. v.				
15.1.1	Observe employment	restrict	ions according to M	luSchG / :	JArbSchG
	⊗ no				
15.1.2	Observe storage oblig	ation a	ccording to §8 (6) (	GefStoffV	
	⊗ no				
15.1.3	Observe the Major Ac	cidents	Ordinance		
	⊕ no				
15.1.4	Technical Instruction	Air			
	∞ n. a.				
15.1.5	Water hazard class				
	<ul><li>WGK 1: slightly hazard</li><li>Solid practically insolul</li></ul>				
15.1.6	Observe the regulator	ry scope	e of TRGS 900		
	⊙ no				



according to EU Regulation 2015/830 - Status: 28.05.2015 DOKUMENT: Q-M-QC\_SDB-0003

Date of issue: 12.03.2018 Version: 12.03.2018

"\*" Changes compared to previous version, n. a. = not avaiable, n. v. = not valid

TRADE NAME: S-Bond®

SUPPLIER: EUROMAT GmbH Hermann-Hollerith-Straße 6, 52499 Baesweiler - Germany

Phone: +49.(0)2401.60.72.866 Fax: +49.(0)2401.60.72.866 E-Mail: input@euromat.de

15.1.7	Other regulations to be o	observed		
	⊚ <u>none</u>			
SECTION 16:	OTHER DISCLOSURES			
16.1	Notes on changes			
	This safety data sheet is a Jan. 2006	new creation and replaces the prev	ious document with release date	
16.2	Exposure parameters ou	tside Germany		
	Country code	Norm	Limit value	
	B, F, I, P	VME (TWA)	Sn – 2,0 mg/m³ Ag – 0,1 mg/m³ Ti – n. a.	
	N, USA	TLV	Sn – 2,0 mg/m³ Ag – 0,1 mg/m³ Ti – n. a.	
16.3	Other			
	<ul> <li>The information may not be cl</li> <li>Reproduction is permitted onl</li> <li>The information provided is based</li> </ul>	n accordance with EU Regulation.  hanged or transferred to other prod  in unaltered condition.  ased on our current knowledge.  Ind is intended solely for this produc		

EUROMAT GMBH does not guarantee the correctness of the above values. Values were determined in the laboratory and may vary depending on the batch. We recommend that you check the values yourself after receipt of the goods.